This Page Is Inserted by IFW Operations and is not a part of the Official Record

BEST AVAILABLE IMAGES


Defective images within this document are accurate representations of the original documents submitted by the applicant.


Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS


IMAGES ARE BEST AVAILABLE COPY.


As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.






F16. 3







C140	ACU ANALOGINPUT CHILLEDWATER SYSTEM COMPONENT IS2 VALVE COMPONENT WATER CONNECTION	ROUTINGT SERVICE SINGLEVALVESERVICE SUPPLY SYSTEM 136 TEMPERATURE MONITOR WALVE WATERLOAD	TEMPLATE EDITOR PUMP REQUESTLINKAGE
FIG. 8	ACP ACP XIC & SOPENED ACP XIC & SOPENED ACP XIC & SOPENED X	SUPERTYPES 144 ACU CHILLED WATER SYSTEM COMPONENT SYSTEM COMPONENT COMPONENT INCLUDE MODULEVALVE COMPONENT COMPONENT	ABBREVIATION FIXEDMODULE ACU FIXEDMODULE CHILLED WATER SYSTEM FACTORY CLASS SI42 CONNECTION

